

Message

From: Werner, Lora [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=921F9F156035403FA605C142A287CC1A-LWERNE02]
Sent: 10/29/2017 7:44:48 PM
To: Markiewicz, Karl [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=a9af7eaacbc41d8a469eb1f11183ad6-Kmarkiew]
Subject: Re: Ames Warehouse Fire - background technical info on initial realtime air data from ATSDR emergency response if helpful

Hi Karl

Sorry to be so slow a jillion emails and a few calls with EPA and Rich.
And lots of tech problems for me.

Epa provided individual readings and pseudo twa (not usually full 24 hours due to rain and tech issues). Overall the results were from good to hazardous, that is what we meant. We haven't gotten to finer analysis of how we can see it getting better but peaks still a problem although suspect that is trend and that may be what Rich was saying in one of his emails this pm. If I am understanding excel sheets right, even some 10/25 results have a hazardous twa calculated (e.g. at park n ride location). In contrast Mine Road Fence location on 10/25 has a twa in good range.

If you have time to look at spreadsheets later definitely interested in your opinion. No locations appear to be schools to me; I think those were only done with pDR monitors per last tab and the spreadsheet only includes datarams data.

L

Sent from my iPhone

On Oct 29, 2017, at 1:36 PM, Markiewicz, Karl <Markiewicz.Karl@epa.gov> wrote:

Hello Lora,

I don't have access to a computer so mostly have questions. I assume they provided TWA and not just individual readings. We should try and express that when in the plume the levels can be elevated and avoided. I would assume background and school sample are between 5-35ug/m3.

It seemed like EPAs first round had spikes likely due to flare up or site disturbance.

They say it's written sounds like all the air (monitoring locations ranged from safe to hazardous which I doubt is the case.

Karl Markiewicz, PhD
CDC/ATSDR
Senior Toxicologist
kvm4@cdc.gov

Sent from my iPhone

On Oct 29, 2017, at 12:17 PM, Werner, Lora <Werner.Lora@epa.gov> wrote:

See attached. Can you look at spreadsheet and my blurb EC Rory from Friday ERS email and let me know if you have any thoughts?
This is complete EPA DATARAMS info as of 10/26.
EPA needs to post a blurb on data on their website about it. This was their first cut below. I suggested:

Assuming EPA's PM2.5 average results are essentially 24 hour averages, the latest results ranged from the good through the hazardous AQI categories. (*Need to edit ad needed*) Aggravation of heart and lung disease are possible under these conditions. People with heart or lung disease should pay attention to symptoms and contact their health care provider if they experience symptoms and reduce their exposure to the impacted air per the incident command's shelter in place recommendations. Sensitive groups should limit prolonged or heavy exertion outdoors, and people with asthma should follow their asthma management plan.

Spikes above these average levels continue to occur.

This could be due to a changing wind conditions such as temperature inversions and other changing wind patterns. EPA's monitors would not always be expected to be in the location of every peak. With the absence of

meteorological data and changing wind directions, it is difficult to predict these spikes. Terrain steering may also play a role in impacting the direction of the plume. Sensitive individuals should continue to keep this in mind.

We do not have comprehensive information about chemicals at this warehouse. Therefore, there is uncertainty about the overall mixture that was potentially (or might still be) in the air. There have been strong plastics odors as well as typical combustion odors in residential areas and ATSDR does not have information on what would be causing these odors or the public health implications. Strong odors in air can cause symptoms in people. Some people are more sensitive to environmental odors than others. In general, as concentration levels increase, more people will have symptoms. Symptoms vary based on your sensitivity to the odor. Young children, the elderly, and pregnant women may be more sensitive to odors. In general, the most common symptoms from odors are headaches, nasal congestion, eye, nose, and throat irritation, hoarseness, sore throat, cough, chest tightness, shortness of breath, wheezing, heart palpitations, nausea, drowsiness, and mental

depression. These symptoms generally occur at the time of exposure. Their intensity will depend on the concentration of the odor in air, how often you smell it, and how long exposure lasts.

I hope to get to pc soon to look at spreadsheet too. L

Sent from my iPhone

Begin forwarded message:

From: "Duffy, Jessica" <Duffy.Jessica@epa.gov>
To: "Lindsey, Deborah" <Lindsey.Deborah@epa.gov>, "Burns, Francis" <Burns.Fran@epa.gov>, "Werner, Lora" <Werner.Lora@epa.gov>
Subject: **RE: Ames Warehouse Fire - background technical info on initial realtime air data from ATSDR emergency response if helpful**

Lora,

This is what we pulled from your blurb you sent earlier this week. We changed to update to make more relevant for now....

Since Friday October 27, 2017, the combustion has become less efficient and less energetic. The smoke has been hugging the ground and there has been more particulate matter in the air around the fire site. Additional environmental data are needed to evaluate areas closer to the fire until it is extinguished. EPA and WVDEP are continuously coordinating with personnel from the Agency of Toxic Substances and Disease Registry (ATSDR), West Virginia Bureau of Public Health, and Wood County Health Department officials for assistance assessing a variety of monitoring and sampling results from state, local, and federal sources to determine the implications on public health.

ATSDR has yet to receive safety data sheets (SDSs) or comprehensive information about chemicals at this warehouse, beyond a handwritten list shared by US EPA on 10/21/17 and a concern that significant amounts of DuPont's Rynite thermoplastic polyester resin product may have been present. According to the SDS for Rynite, hazardous gases/vapors produced in fire are carbon monoxide and hydrogen bromide. No chemical laboratory analytical data from the response has been available to ATSDR as of 10/29/17; therefore, there is uncertainty about the overall mixture that was potentially (or might still be) in the air. There

have been strong plastics odors as well as typical combustion odors in residential areas and ATSDR does not have information on what would be causing these odors or the public health implications. Strong odors in air can cause symptoms in people. Some people are more sensitive to environmental odors than others. In general, as concentration levels increase, more people will have symptoms. Symptoms vary based on your sensitivity to the odor. Young children, the elderly, and pregnant women may be more sensitive to odors. In general, the most common symptoms from odors are headaches, nasal congestion, eye, nose, and throat irritation, hoarseness, sore throat, cough, chest tightness, shortness of breath, wheezing, heart palpitations, nausea, drowsiness, and mental depression. These symptoms generally occur at the time of exposure. Their intensity will depend on the concentration of the odor in air, how often you smell it, and how long exposure lasts.

Jessica Duffy

Emergency Planner
USEPA Region 3
HSCD - Office of Preparedness and Response
1650 Arch Street (3H533)
Philadelphia, PA 19103
Office: 215-814-3212
Cell: 267-666-9251
duffy.jessica@epa.gov

From: Lindsey, Deborah
Sent: Sunday, October 29, 2017 11:03 AM
To: Burns, Francis <Burns.Fran@epa.gov>; Duffy, Jessica <Duffy.Jessica@epa.gov>
Cc: Linden, Melissa <linden.melissa@epa.gov>; Wenning, Stephanie <Wenning.Stephanie@epa.gov>
Subject: FW: Ames Warehouse Fire - background technical info on initial realtime air data from ATSDR emergency response if helpful

Fran and Jessica

Attached is the email that Lora Werner mentioned in the call. This is the same information that Stephanie and Melissa mentioned in this morning call.

As I read the message just now – I believe that ATSDR’s evaluation of EPA data is from a spreadsheet that I sent out on Monday or Tuesday which only summarized START’s logbook data that they collected from checking on the datarams throughout the monitoring period from when they arrived thru Monday morning –

This included the instantaneous reading at the time of the check and what the TWA said at the time of the check.

ATSDR did not receive any real PM data until Thursday when we received the data chars from START.

Debbie Lindsey
.....

USEPA Region 3
Wheeling Field Office
1060 Chapline Street
Wheeling, WV 26003
(304) 234-0249
(304) 281-2569 (cell)

From: Linden, Melissa
Sent: Sunday, October 29, 2017 10:30 AM
To: Lindsey, Deborah <Lindsey.Deborah@epa.gov>
Subject: Fwd: Ames Warehouse Fire - background technical info on initial realtime air data from ATSDR emergency response if helpful

Sent from my iPhone

Begin forwarded message:

From: "Wenning, Stephanie"
<Wenning.Stephanie@epa.gov>
Date: October 29, 2017 at 8:43:41 AM EDT
To: "Linden, Melissa" <linden.melissa@epa.gov>
Subject: FW: Ames Warehouse Fire -
background technical info on initial realtime air
data from ATSDR emergency response if helpful

Stephanie Wenning
Hazardous Site Cleanup Division
U.S. Environmental Protection Agency
1650 Arch Street
Philadelphia, PA 19103
215.814.3186 office / 215.687.2958 cell

From: Werner, Lora
Sent: Friday, October 27, 2017 11:04 AM
To: Lindsey, Deborah <Lindsey.Deborah@epa.gov>;
Helverson, Robert <Helverson.Robert@epa.gov>;
Markiewicz, Karl <Markiewicz.Karl@epa.gov>;
ibd7@cdc.gov; jim.a.rose@wv.gov; Colledge, Michelle
<Colledge.Michelle@epa.gov>; Wenning, Stephanie
<Wenning.Stephanie@epa.gov>; Wagner, Christine
<Wagner.Christine@epa.gov>
Cc: Rebecca Fugitt <Rebecca.Fugitt@odh.ohio.gov>;
Gene.Phillips@odh.ohio.gov; ran2@cdc.gov
Subject: Ames Warehouse Fire - background technical

info on initial realtime air data from ATSDR emergency response if helpful

Following up on our discussions, below is some preliminary background info on the initial realtime air data from ATSDR. I hope you find it helpful. Lora

On 10/21/17 Saturday morning at 1230 AM, Parkersburg fire crews responded to a fire at the Intercontinental Export and Import Company - Plant #1 on Camden Avenue in Parkersburg WV. The facility is a warehouse housing many plastics-related and other unknown materials. The fire is still ongoing. The county has the lead in the incident command, and hired an environmental contractor (CTEH) to conduct air monitoring and sampling. CTEH is conducting roving realtime air monitoring for particulate matter, and is also collecting field air monitoring data for other constituents including carbon monoxide, chlorine, and sulfur dioxide. At the request of WV DEP, in addition EPA deployed four particulate air monitors around the perimeter of the fire, and began collecting data on 10/22/17 (Sunday) ATSDR R3, ATSDR R5, and DTHHS ERS are coordinating with EPA, WV state and local health, and OH state and local health. Air quality continues to be impacted in both WV and across the river in OH.

Based on the CTEH collected air monitoring data, overall, levels of fine particulate matter (PM_{2.5}) and course dust particles (PM₁₀) are decreasing since the first recorded readings (10/23/17) to date. No air sampling analytical data have been made available as of 10/26/17. However, volatile organic and targeted analyte air sampling is planned. Below are the trends in the realtime air monitoring collected by various mobile monitoring devices. EPA has also collected additional air monitoring data and will share it after completing QA/QC procedures.

10/22-23/17 (EPA PM₁₀ time weighted average monitoring)

Levels of PM₁₀ ranged from 7.6-77.6 ug/m³ and 30.7-764.3 ug/m³.

10/23/17 (CTEH instantaneous PM monitoring)

Levels of PM_{2.5} were highest 0.32 miles from the site at 2,810 ug/m³. Levels of PM₁₀ were highest 1.15 miles from the site at 384 ug/m³. The average of the PM_{2.5} and PM₁₀ readings for all the locations monitored were 241 ug/m³ and 110 ug/m³, respectively. The highest concentration of SO₂ was recorded at 0.5ppm.

10/24/17 (CTEH instantaneous PM monitoring)

Levels of PM_{2.5} were highest 0.4 miles from the site at 2,210 ug/m³. Levels of PM₁₀ were highest 0.21 miles from the site at 858 ug/m³. The average of the PM_{2.5} and PM₁₀ readings for all the locations monitored were 77 ug/m³ and 96 ug/m³, respectively. The highest concentration of SO₂ was recorded at 0.1ppm.

10/25/17 (CTEH instantaneous PM monitoring)

Levels of PM_{2.5} were highest 0.25 miles from the site at 531 ug/m³. Levels of PM₁₀ were highest 0.25 miles from the site at 425 ug/m³. The average of the PM_{2.5} and PM₁₀ readings for all the locations monitored were 49 ug/m³ and 41 ug/m³, respectively. No SO₂ readings were recorded.

10/26/17 (CTEH instantaneous PM monitoring)

Levels of PM_{2.5} were highest 3.21 miles from the site at 442 ug/m³. Levels of PM₁₀ were highest 1.47 miles from the site at 24 ug/m³. The average of the PM_{2.5} and PM₁₀ readings for all the locations monitored were 85 ug/m³ and 24 ug/m³, respectively. No SO₂ readings were recorded. The exceedance that was recorded 3.21 miles away was from a residential area. More investigation should be done in these areas. The maximum value could be attributed to the temperature inversion or to the presence of other local sources of PM_{2.5} (e.g., wood-burning fireplaces).

-

-

According to the Air Quality Index (AQI) for Particulate Matter, 250.5 to 500 ug/m³ PM_{2.5} on a 24-hour average is considered hazardous. Based on the maximum concentrations only, these areas would be considered hazardous to health. 24-hour averages were not available for the CTEH readings. These are realtime instantaneous readings. The average concentrations above for the CTEH readings are the averages of the total detected instantaneous readings for the day in all

monitoring locations. Time weighted averages were not available for the CTEH monitoring locations. Assuming EPA's PM10 24-hour average results were principally fine particulate matter, these results ranged from the good through the hazardous AQI categories. Aggravation of heart and lung disease are possible under these conditions. People with heart or lung disease should pay attention to symptoms and contact their health care provider if they experience symptoms and reduce their exposure to the impacted air per the incident command's shelter in place recommendations. Sensitive groups should limit prolonged or heavy exertion outdoors, and people with asthma should follow their asthma management plan.

The maximum concentrations that have been seen to date in the CTEH monitoring generally last from 20-30 minutes and then drop below the EPA 24 hour average National Ambient Air Quality Standards for PM2.5 of 35 $\mu\text{g}/\text{m}^3$ and PM10 of 150 $\mu\text{g}/\text{m}^3$. Spikes above these levels have occurred on each of the monitoring days. On 10/23/17, there were 3 spikes above 35 $\mu\text{g}/\text{m}^3$. On 10/26/17, there were 7 spikes that occurred over a few hours. This could have been due to a temperature inversion that may have occurred over night. With the absence of meteorological data and changing wind directions, it is difficult to predict these spikes. Terrain steering may also play a role in impacting the direction of the plume. Attached is PowerPoint presentation that denotes these spikes for PM2.5.

Over the past couple of days, the combustion is becoming less efficient and less energetic. The smoke is hugging the ground and there may be more particulate matter in the air around the fire site. Spikes of higher levels of particulate matter last longer and are more frequent. The air quality hazard going forward may be greater until the fire is extinguished. Additional environmental data are needed to evaluate areas closer to the fire until it is extinguished, including data collection at the closest school(s).

ATSDR has yet to receive safety data sheets (SDSs) or comprehensive information about chemicals at this warehouse, beyond a handwritten list shared by US EPA on 10/21/17 and a concern that significant amounts of DuPont's Rynite thermoplastic polyester resin product may have been present. According to the SDS for Rynite, hazardous gases/vapors produced in fire are carbon monoxide and hydrogen bromide. No chemical laboratory analytical data from the response has been available to ATSDR as of 10/26/17; therefore, there is uncertainty about the overall mixture that was potentially (or might still be) in the air. There have been strong plastics odors as well as typical combustion odors in residential areas and ATSDR does not have information on what would be causing these odors or the public health implications. Strong odors in air can cause symptoms in people. Some people are more sensitive to environmental odors than others. In general, as concentration levels increase, more people will have symptoms. Symptoms vary based on your sensitivity to the odor. Young children, the elderly, and pregnant women may be more sensitive to odors. In general, the most common symptoms from odors are headaches, nasal congestion, eye, nose, and throat irritation, hoarseness, sore throat, cough, chest tightness, shortness of breath, wheezing, heart palpitations, nausea, drowsiness, and mental depression. These symptoms generally occur at the time of exposure. Their intensity will depend on the concentration of the odor in air, how often you smell it, and how long exposure lasts.

Sent from my iPhone

On Oct 24, 2017, at 1:31 PM, Werner, Lora
<Werner.Lora@epa.gov> wrote:

As we are discussing!

Excerpt we were discussing on health effects and cautionary statements (average levels for PM2.5 most recently seen are in unhealthy range, max values exceeded hazardous range):

Full link and pdf:

<https://oehha.ca.gov/media/wildfiresmonitors/2016.pdf>

Lora

Lora Siegmann Werner, MPH
Regional Director, Region 3
Division of Community Health
Investigations
Agency for Toxic Substances & Disease
Registry (ATSDR)/Centers for Disease
Control & Prevention
c/o EPA Region 3
1650 Arch Street
Mailstop 3HS00
Philadelphia, PA 19103

Desk phone: 215-814-3141
Cell phone: 215-588-9778
Fax: 215-814-3003
Emails (only need to use
one): lkw9@cdc.gov and
werner.lora@epa.gov

****Please note: emails may appear as
@epa.gov because we share IT services
in our regional office****

<Wildfire Smoke PH Guide
excerpt.pdf>

<wildfiresmoke2016.pdf>

<Parkersburg WV Fires_Data Ram.xlsx>